


# 3MP WIFI PT CAMERA

HX-SD30L3-W



## Product Feature

- 3MP HD – Capture smooth videos and clear images with 3MP High Definition Bullet Cameras.
- Theft-Proof Storage - Enjoy theft-proof cloud storage. Ensure the safety of your video data. Local TF card video storage is also supported for easy access
- Two-Way Audio - Stay connected always! The built-in mic and speaker enable easy, disturbance-free communication between the camera and phone.
- Active defense – Get instant audio alarms and light alerts when there is an intrusion in the restricted area.
- Supports Remote Monitoring – Stay connected from anywhere, anytime. Supports remote monitoring by PC, Tablet, and mobile.
- IP66 Ingress Protection – Comes with protection against powerful water jets and dust particles.

**HIXECURE**  
technology tweaked, for better

# 3MP WiFi PT Camera

Connect with Wifi to have a hassle-free camera connection

 Wifi Connect  Weather Proof



AP Mode



Siren




Motion  
Detection



Built in MIC  
& Speaker

## 3MP Full HD Video Recording

Designed to reflect an improved picture quality in Full HD video, preventing pixilation in the video feed and allowing for a clear view of every detail.



## Coloured Night View

Provides perfect clarity full-color video even in low light because the larger sensor's pixels collect more light, which enhances image quality even in low light.

# Pan & Tilt

It can pan up to 266°, tilt up to 105°, using a mobile app you can monitor and control rotation remotely.



## Motion Detection

Camera recognises human detection and intelligent notifications, so you will only receive a warning when it is necessary. If there is enough variation between frames, a camera will turn on automatically.

## MicroSD Card Support

Use a MicroSd Card to record your video; it can support up to 256GB of data.






# Two Way Audio Communication

Allows you to communicate with your loved ones wherever you are, which includes using a phone to talk while watching a live video feed.

## Applications




Courtyard



Home Entrance



Farm



Cafe

# Specification

Resolution	3MP
Sensor	1/3" CMOS Sensor
Shutter	Shutter adaptation
Lens	4mm
Rotation Angle	Pan: 200/S ; Tilt :1050
Day-night mode	Infrared filter
DNR	3D digital noise reduction
Dynamic Range	Digital WDR
IR Distance	IR 20-30m, spotlight 15-20m (depends on environment)

---

## Compression Standard

Video Compression	H.265/H.264
Video Compression	HD/SD, Rate adaptation
Audio Coding Fonnat	MC/G711A

---

## Image

Resolution	Main stream: 2304 *1296, Sub stream: 640x360
Frame Rate	Max 15fps, framerate self-adaption
Image reversal	Support horizontal and vertical reversal
Privacy Masking	Support

---

## Network Protocol

Protocol	N1 Protocol (Private protocol)
----------	--------------------------------

---

## Alarm Function

Intelligent Alarm	Motion detection
Alann Notbfication	Alarm otification push

## Storage

Interface

Micro SD Card (Max 256GB)

Cloud Storage

Not Support

## Wireless Spec

Wifi

Support

Working Temperature

-20°C ~ 50°C, Working Humidity: <95% (no condensation)

Power Adapter

DC 12V 1A

Waterproof

IP66